



A breakthrough in sustainability and versatility, CPG/82 offers an optimal balance between performance and eco-conscious operations, addressing the market's evolving needs.

**NEW DESIGN / ENERGY EFFICIENCY / ECO-FRIENDLY FOOTPRINT**



## MULTI-STATION TECHNOLOGY

**CPG/82**

Sheet width max.	mm	850
Tools dimension <b>A</b> x <b>B</b>	mm	820x650

**MODELS**

**CLAMPING FORCE**

**3 STATIONS model**  
Forming + Cutting + Stacking


**CPG**

Forming	kN	250
Cutting	kN	650

**4 STATIONS model**  
Forming + Punching + Cutting + Stacking


**CPG/P**

Forming	kN	250
Punching	kN	250
Cutting	kN	650



## Description

- ▶ Enhanced performance and reliability, delivering top-tier parts-standards
- ▶ Reduced electrical power consumption, marking a significant stride towards sustainability
- ▶ Machine capable of running recyclable and biodegradable materials in addition to the common thermoplastic materials like PET, rPET, PS, PP.
- ▶ Versatility in handling various products requirements, ensuring adaptability
- ▶ Generous tool sizes mm 820x650
- ▶ Downstream automation for parts packing can be easily integrated



From clamshells, blisters, displays, trays, lids to custom plastic parts, CPG/82 achieves unparalleled performance without compromising its eco-friendly footprint.



CPG

ON REQUEST  
Different stacking  
solutions depending  
on your product

Stacking Robot ER3X



4.0 READY



REMOTE ASSISTANCE

## EASY the smart software

OPTIMIZES **PRODUCTIVITY** / IMPROVES **EFFICIENCY** / EASE OF **OPERATION**

- ▶ Feedback of the cycle parameters based on the set speed
- ▶ Monitor displaying of I/O PLC cards
- ▶ Auto safeguard preventing incompatible parameters with pre-defined cycle settings
- ▶ Optimizes diagnostics with information for troubleshooting
- ▶ Bar chart with all functions of the automatic loop
- ▶ Energy saving system with optimization of oven heating in relation to mould size



A COMPANY OF COMI GROUP



Quality System Cert. N° 1043  
UNI EN ISO 9001: 2015

### Comi Packaging Srl

Corso Novara, 234  
27029 Vigevano (PV) - Italy

Phone +39 0381 20016  
Fax +39 0381 318000  
E-mail [info@comipackaging.it](mailto:info@comipackaging.it)

[www.comipackaging.it](http://www.comipackaging.it)